

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

According to REACH Regulation (EC	5) NO 1907/2000, as amenued by UK REACH Regulations SI 2019/756 a
SECTION 1: IDENTIFICATION OF T	HE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1 Product identifier	
Product Name	Gorilla Waterproof Coat and Seal Black
CAS No.	Not applicable
EC No.	Not applicable
Unique Formula Identifier (UFI)	3H00-T0T3-G00R-N00J
1.2 Relevant identified uses of the	substance or mixture and uses advised against
Identified Use(s)	Sealants
Uses Advised Against	Not known.
1.3 Details of the supplier of the sa	afety data sheet
Manufacturer	
Company Identification	Gorilla Glue Europe Ltd
Address of Manufacturer	26 Eaton Avenue
	Matrix Park, Buckshaw Village
	Chorley, Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
E-mail	eucustomercare@gorillaglue.com
Office hours	08:30 - 17:00
Supplier	
Company Identification	Gorilla Glue Europe Ltd
Address of Supplier	26 Eaton Avenue
	Matrix Park, Buckshaw Village
	Chorley, Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
E-mail	eucustomercare@gorillaglue.com 08:30 - 17:00
Office hours	08:30 - 17:00
<b>1.4 Emergency telephone number</b> Emergency Phone No.	+44 (0)843 507 1200
Contact	Stuart Shotton
National response centre	Stuart Shollon
Address	NHS Direct
Emergency Phone No.	+44 111
Emergency i none no.	111 777
SECTION 2: HAZARDS IDENTIFICA	TION

<b>2.1 Classification of the substance or mixture</b> GB CLP Regulation, UK SI 2019/720 and Skin Sens. 1B :May cause an allergic skin reaction.			
UK SI 2020/1567	Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.		
2.2 Label elements			
Product Name	According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Gorilla Waterproof Coat and Seal Black		
Hazard Pictogram(s)			
	GHS07		
Signal Word(s)	Warning		
Hazard Statement(s)	H317: May cause an allergic skin reaction.		
	H319: Causes serious eye irritation.		
	H412: Harmful to aquatic life with long lasting effects.		
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand.		
	P102: Keep out of reach of children. P261: Avoid breathing vapours.		
	P201. Avoid bleathing vapours. P273: Avoid release to the environment.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
	P501: Dispose of contents in accordance with local, state or national legislation.		
Unique Formula Identifier (UFI)	3H00-T0T3-G00R-N00J		
2.3 Other hazards			
	None known.		
2.4 Additional Information			



For full text of H/P Statements see section 16.

Not applicab	ble.			
CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
1317-65-3	215-279-6	<15	Not classified	None
1760-24-3	217-164-6	<5	Skin Sens. 1B H317 Eye Dam. 1 H318 STOT SE 3 H335	GHS05 GHS07
2768-02-7	220-449-8	<3	Skin Sens. 1B H317	GHS07
1333-86-4	215-609-9	<1	Not classified	None
127519-17-9	407-000-3	<1	Aquatic Chronic 2 H411	GHS09
41556-26-7	255-437-1	<0.5	Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS07 GHS09
870-08-6	212-791-1	<0.5	STOT SE 2 H371	GHS08
67-56-1	200-659-6	<0.05	Flam. Liq. 2 H225 Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT SE 1 H370	GHS02 GHS06 GHS08
14808-60-7	238-878-4	<0.05	Not classified	None
	CAS No. 1317-65-3 1760-24-3 2768-02-7 1333-86-4 127519-17-9 41556-26-7 870-08-6 67-56-1	number(s)           1317-65-3         215-279-6           1760-24-3         217-164-6           2768-02-7         220-449-8           1333-86-4         215-609-9           127519-17-9         407-000-3           41556-26-7         255-437-1           870-08-6         212-791-1           67-56-1         200-659-6	CAS No.         EC No. / Registration wW/W number(s)           1317-65-3         215-279-6         <15	CAS No.         EC No. / Registration number(s)         %W/W         Hazard Statement(s)           1317-65-3         215-279-6         <15

4.1 Description of first aid measures			
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.		
Skin Contact	Wash with plenty of water. If skin irritation or rash occurs: Get medical		
Euro Ostata et	advice/attention.		
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical		
	advice/attention.		
Ingestion	Wash out mouth with water. If symptoms persist, obtain medical attention.		
4.2 Most important symptoms and effe	ects, both acute and delayed		
	Causes serious eye irritation. May cause an allergic skin reaction.		
4.3 Indication of any immediate medic	al attention and special treatment needed		
	Unlikely to be required but if necessary treat symptomatically.		
SECTION 5: FIREFIGHTING MEASURE	S		
5.1 Extinguishing media			
Suitable Extinguishing media	Water spray, foam, dry powder or $CO_2$ .		
Unsuitable extinguishing media	Do not use water jet.		
5.2 Special hazards arising from the substance or mixture			
1 3	Decomposes in a fire giving off toxic fumes: Oxides of carbon, Nitrogen oxides		
5.3 Advice for firefighters			
<b>3</b> •• •	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.		

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing vapours. Wear appropriate personal protective equipment, avoid direct contact. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed skin thoroughly after



00% TOUGH		
Gorilla Waterproof Coat and Seal Black		
	handling.	
6.2 Environmental precautions	Avoid release to the environment.	
6.3 Methods and material for contain		
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.	
6.4 Reference to other sections	See Also Section 8, 13.	
SECTION 7: HANDLING AND STORAG	GE CONTRACTOR OF CONTRACTOR	
7.1 Precautions for safe handling		
·	General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin and eyes. Avoid breathing vapours. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Take off contaminated clothing and wash it before reuse.	
7.2 Conditions for safe storage, inclu		
Storage temperature Storage life	Keep container tightly closed and in a well-ventilated place. Ambient. Stable under normal conditions.	
Incompatible materials 7.3 Specific end use(s)	Strong oxidising agents, Strongly acidic, Alkalis.	
	Adhesives.	
SECTION 8: EXPOSURE CONTROLS/	PERSONAL PROTECTION	

#### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Methanol	67-56-1	200	266	250	333	Sk
Carbon black	1333-86-4		3.5		7	
Calcium carbonate inhalable dust	1317-65-3		10			
Calcium carbonate respirable dust	1317-65-3		4			
Limestone total inhalable	1317-65-3		10			
Limestone respirable	1317-65-3		4			
Marble total inhalable	1317-65-3		10			
Marble respirable	1317-65-3		4			
Silica, respirable crystalline (respirable fraction)	14808-60-7		0.1			(t)
Tin compounds, organic, except Cyhexatin (ISO), (as Sn)	870-08-6		0.1		0.2	Sk

Region United Kingdom

Source ingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

 Remark
 Notes

 Sk
 Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

 (t)
 Carc (where generated as a result of a work process)

8.2 Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.
8.2.2. Personal protection equipment	
Eye Protection	Wear protective eye glasses for protection against liquid splashes.
Skin protection	Wear protective clothing and gloves: Impervious gloves. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



		Respiratory protection	Wear suitable respiratory protection.
		Thermal hazards	Not applicable.
		nental Exposure Controls	Avoid release to the environment.
-		n on basic physical and	
Appea	arance		Liquid. Colour : Black.
Odou			Odourless /Slight.
	threshold	ł	Not known.

	GUIUUI . DIACK.
Odour	Odourless /Slight.
Odour threshold	Not known.
рН	5-8
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	>200°C [Open cup]
Evaporation rate	Not known.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive	Not known.
limits	
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	Not known.
Relative density	0.98-1.02
Solubility(ies)	Solubility (Water) : Insoluble (<10mg/l)
	Solubility (Other) : Soluble in: n-Octanol
Partition coefficient: n-octanol/water	>1.7
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	>100°C
Viscosity	Not known.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	
	None.

## SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity		
		None anticipated.	
10.2	Chemical Stability	Stable under normal conditions.	
10.3	Possibility of hazardous reactions		
10.4	Conditions to avoid	No hazardous reactions known if used for its intended purpose.	
		Heat and direct sunlight.	
10.5	Incompatible materials	Strong oxidising agents, Strongly acidic, Alkalis,	
10.6	10.6 Hazardous decomposition products		
		No hazardous decomposition products known.	
SEC	SECTION 11: TOXICOLOGICAL INFORMATION		

#### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Low oral toxicity.
	Calculated acute toxicity estimate (ATE): 363901.03000
Acute toxicity - Skin Contact	Low acute toxicity.
·	Calculated acute toxicity estimate (ATE): 1000000.00000
Acute toxicity - Inhalation	Low acute toxicity.
	Calculated acute toxicity estimate (ATE): 10917.03000
Skin corrosion/irritation	Non-irritant.
Serious eye damage/irritation	Causes serious eye irritation. No data.



Skin sensitization data

Germ cell mutagenicity

STOT - single exposure STOT - repeated exposure

11.2 Other information

Reproductive toxicity

Carcinogenicity

Aspiration hazard

Lactation

Respiratory sensitization data

## Gorilla Waterproof Coat and Seal Black

May cause an allergic skin reaction. No data. Not classified. There is no evidence of mutagenic potential. No evidence of carcinogenicity. No evidence of reproductive effects. Not classified. None anticipated. Not classified. Not classified. Not known.

#### SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
•	Harmful to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	No data.
Toxicity - Fish	No data.
Toxicity - Algae	No data.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	
	No information on this formulation.
12.3 Bioaccumulative potential	
	The product has low potential for bioaccumulation.
12.4 Mobility in soil	
	Insoluble in water. The product is predicted to have low mobility in soil.
12.5 Results of PBT and vPvB assess	ment
	Not classified as PBT or vPvB.
12.6 Other adverse effects	
	Not known.
SECTION 13: DISPOSAL CONSIDERAT	TIONS
13.1 Waste treatment methods	
	Dispose of this material and its container as hazardous waste. Dispose of empty containers and wastes safely.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation.

### SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1	UN number	
14.2	UN proper shipping name	Not applicable
		Not applicable
14.3	Transport hazard class(es)	Not applicable
14.4	Packing group	Natarrianla
14.5	Environmental hazards	Not applicable
14.6	Special processions for year	Not classified as a Marine Pollutant.
14.0	Special precautions for user	Not known
14.7	Transport in bulk according to A	nnex II of Marpol and the IBC Code
		Not known


#### SECTION 15: REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** United Kingdom Regulations - Authorisations and/or Restrictions On Use UK REACH Candidate List of Substances Not listed



of Very High Concern for Authorisation UK REACH Authorisation List (Annex XIV) list of substances subject to	Not listed		
authorisation UK REACH Restrictions List (Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles UK REACH Rolling Action Plan (RAP) The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended	) Methanol (67-56-1), Dioctyltin oxide (870-08-6), Trimethoxyvinylsilane (2768-02-7), N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3), Reaction mass of branched and linear C7-C9 alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4- hydroxyphenyl]propionates (127519-17-9), Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7) Not listed Not listed		
The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583)	Not listed		
The Prior Informed Consent (PIC) Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended	Dioctyltin oxide (870-08-6)		
	and/or Restrictions On Use Trimethoxyvinylsilane (2768-02-7), Methanol (67-56-1), Carbon black (1333-86-4), Dioctyltin oxide (870-08-6)		
15.2 Chemical Safety Assessment United Kingdom	A REACH chemical safety assessment has not been carried out.		
SECTION 16: OTHER INFORMATION			
The following sections contain revisions or new statements: 1-16			
LEGEND			
Hazard Pictogram(s)			
	GHS07 GHS02: GHS: Flame GHS05: GHS: Corrosion GHS06: GHS: Skull and crossbones GHS08: GHS: Health hazard GHS09: GHS: Environment		
Hazard classification	Flam. Liq. 2 : Flammable liquid, Category 2 Acute Tox. 3 : Acute toxicity, Category 3 Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Skin Sens. 1 : Skin sensitization, Category 1 Skin Sens. 1B : Skin sensitization, Category 1B Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 STOT SE 1 : Specific target organ toxicity — single exposure, Category 1 STOT SE 2 : Specific target organ toxicity — single exposure, Category 2 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 2		
Hazard Statement(s)	H225: Highly flammable liquid and vapour. H301: Toxic if swallowed. H311: Toxic in contact with skin. H315: Causes skin irritation.		

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation.





	<ul> <li>H331: Toxic if inhaled.</li> <li>H335: May cause respiratory irritation.</li> <li>H370: Causes damage to organs.</li> <li>H371: May cause damage to organs.</li> <li>H400: Very toxic to aquatic life.</li> <li>H410: Very toxic to aquatic life with long lasting effects.</li> <li>H411: Toxic to aquatic life with long lasting effects.</li> <li>H412: Harmful to aquatic life with long lasting effects.</li> </ul>
Precautionary Statement(s)	<ul> <li>P261: Avoid breathing vapours.</li> <li>P264: Wash hands and exposed skin thoroughly after handling.</li> <li>P272: Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273: Avoid release to the environment.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P302+P352: IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P321: Specific treatment (see Medical Advice on this label).</li> <li>P333+P313: If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362+P364: Take off contaminated clothing and wash it before reuse.</li> <li>P501: Dispose of contents in accordance with local, state or national legislation.</li> </ul>
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service EC : European Community LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for  $\,$  GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.