

Replaces: 26.02.2019

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

CONTRACTORS DECORATORS CAULK ACRYLIC

Date: 03.05.2023 Ref: 0167.15.BB/DL

\_\_\_\_\_\_

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name CONTRACTORS DECORATORS CAULK ACRYLIC

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesives and/or sealants

Uses advised against Not to be used in production of toys or childcare articles

#### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Siroflex Limited

Dodworth Business Park, Dodworth Barnsley,

South Yorkshire S75 3SP Tel: +44 (1226) 771600

Fax: +44 (1226) 771601 www.siroflex.co.uk

E-mail address info.siroflex@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1226) 771600 (Office Hours Only)

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Europe 112

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

United Kingdom - BE Page 1 / 12

**CONTRACTORS DECORATORS CAULK ACRYLIC** 

Replaces: 26.02.2019

Ref: 0167.15.BB/DL

 $\hbox{[C(M)IT/MIT]}\ \&\ 1,2\mbox{-benzisothiazol-3(2H)-one}$  [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

# 2.3. Other hazards

Date: 03.05.2023

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Ethylene glycol	203-473-3	107-21-1	0.1 - <1	STOT RE 2 (H373) Acute Tox. 4 (H302)	-	01-2119456816- 28-XXXX
Sodium hydroxide	215-185-5	1310-73-2	0.1 - <1	Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)	Eye Irrit. 2 :: 0.5%<=C<2% Eye Dam. 1 :: C>=2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	01-2119457892- 27-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.0015 - <0.01	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

United Kingdom - BE Page 2 / 12

Replaces: 26.02.2019

CONTRACTORS DECORATORS CAULK ACRYLIC

Date: 03.05.2023 Ref: 0167.15.BB/DL

(H318)	
Skin Sens. 1A	
(H317)	
Aquatic Acute 1	
(H400)	
Aquatic Chronic 1	
(H410)	

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

### SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

**Unsuitable extinguishing media** No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

No information available.

chemical

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

United Kingdom - BE Page 3 / 12

**CONTRACTORS DECORATORS CAULK ACRYLIC** 

Ref: 0167.15.BB/DL Date: 03.05.2023

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Replaces: 26.02.2019

gear. Use personal protection equipment.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. Methods for containment

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Ensure adequate ventilation. Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep from freezing.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Observe technical data sheet. Other information

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	United Kingdom
Ethylene glycol	TWA: 20 ppm	TWA: 10 mg/m <sup>3</sup>
107-21-1	TWA: 52 mg/m <sup>3</sup>	TWA: 20 ppm
	STEL: 40 ppm	TWA: 52 mg/m <sup>3</sup>
	STEL: 104 mg/m <sup>3</sup>	STEL: 40 ppm

United Kingdom - BE Page 4 / 12

**CONTRACTORS DECORATORS CAULK ACRYLIC** 

Date: 03.05.2023 Ref: 0167.15.BB/DL

Replaces: 26.02.2019

	*	STEL: 104 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		Sk*
Sodium hydroxide	-	STEL: 2 mg/m <sup>3</sup>
1310-73-2		

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Ethylene glycol (107-21-1)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	106 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	35 mg/m³	

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)				
Ethylene glycol (107-21-1)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Dermal	53 mg/kg bw/d		
Consumer Long term Local health effects	Inhalation	7 mg/m³		

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

**Predicted No Effect Concentration** No information available. **(PNEC)** 

Predicted No Effect Concentration (PNEC)	
Ethylene glycol (107-21-1)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l

United Kingdom - BE Page 5 / 12

CONTRACTORS DECORATORS CAULK ACRYLIC

Date: 03.05.2023 Ref: 0167.15.BB/DL

Replaces: 26.02.2019

Freshwater sediment	37 mg/kg dry weight
Marine sediment	3.7 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	4.03 μg/l	
Marine water	0.403 μg/l	
Sewage treatment plant	1.03 mg/l	
Freshwater sediment	49.9 μg/l	
Marine sediment	4.99 μg/l	
Soil	3 mg/kg dry weight	

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.

**Respiratory protection** During spraying wear suitable respiratory equipment.

Environmental exposure controls No information available.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste

**Colour** See section 1 for more information

**Odour** Characteristic.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point =  $0 \, ^{\circ}$ C | Initial boiling point and boiling =  $100 \, ^{\circ}$ C

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

imits

Lower flammability or explosive No data available

limits

Flash point No data available

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known

**pH** 7 -

pH (as aqueous solution) No data available None known

Kinematic viscosity > 21 mm²/s

Dynamic viscosity No data available

Water solubility No data available Miscible in water

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk Density No data available

Liquid Density 1.56

Relative vapour density

No data available

None known

**Particle characteristics** 

Particle SizeNo information availableParticle Size DistributionNo information available

United Kingdom - BE Page 6 / 12

Replaces: 26.02.2019

Ref: 0167.15.BB/DL

**CONTRACTORS DECORATORS CAULK ACRYLIC** 

#### 9.2. Other information

**VOC Content (%)** 

Date: 03.05.2023

#### 9.2.1. Information with regards to physical hazard classes

Not applicable

#### 9.2.2. Other safety characteristics

No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Carbon monoxid

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

# Symptoms related to the physical, chemical and toxicological characteristics

United Kingdom - BE Page 7 / 12

Replaces: 26.02.2019

**CONTRACTORS DECORATORS CAULK ACRYLIC** 

Date: 03.05.2023 Ref: 0167.15.BB/DL

**Symptoms** No information available.

Acute toxicity

**Numerical measures of toxicity** 

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol	ATE 500 mg/kg	= 10600 mg/kg (Rattus) =	> 2.5 mg/L (Rat)6 h
		9530 μL/kg (Oryctolagus	
		cuniculus)	
Sodium hydroxide	=325 mg/kg (Rattus)	= 1350 mg/kg (Oryctolagus	-
		cuniculus)	
1,2-benzisothiazol-3(2H)-one	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	ATE = 0.25 mg/L
[BIT]			
reaction mass of	-	LD50 = 87.12 mg/kg	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** 

United Kingdom - BE Page 8 / 12

**CONTRACTORS DECORATORS CAULK ACRYLIC** 

Date: 03.05.2023

Replaces: 26.02.2019 Ref: 0167.15.BB/DL

#### 11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### **Ecotoxicity**

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Ethylene glycol	EC50: 6500 -	LC50 96 h =	EC50 = 10000	EC50:		
107-21-1	13000mg/L (96h,	16000 mg/L	mg/L 16 h	=46300mg/L		
	Pseudokirchneri	(Poecilia	EC50 = 620	(48h, Daphnia		
	ella subcapitata)	reticulata static)	mg/L 30 min	magna)		
		·	EC50 = 620.0	- ,		
			mg/L 30 min			
Sodium hydroxide	-	LC50:	-	-		
1310-73-2		=45.4mg/L (96h,				
		Oncorhynchus				
		mykiss)				
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	
H)-one [BIT]	13mg/l (activated	mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/Ĺ		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)		,		
[C(M)IT/MIT]	,	ĺ				
55965-84-9						

### 12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
	- ,	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test			
(TG 301 B)			

### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient	
Ethylene glycol	-1.36	
1,2-benzisothiazol-3(2H)-one [BIT]	0.7	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		

# 12.4. Mobility in soil

Mobility in soil No information available.

### 12.5. Results of PBT and vPvB assessment

United Kingdom - BE Page 9 / 12

CONTRACTORS DECORATORS CAULK ACRYLIC

Date: 03.05.2023 Ref: 0167.15.BB/DL

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Sodium hydroxide	The substance is not PBT / vPvB PBT assessment does	
	not apply	
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB	
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]		

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

Replaces: 26.02.2019

with local regulations.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

# **SECTION 14: Transport information**

Note: Keep from freezing.

Land transport (ADR/RID)

14.1UN number or ID numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special Provisions None

**IMDG** 

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Marine pollutantNP

14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated

United Kingdom - BE Page 10 / 12

Replaces: 26.02.2019

**CONTRACTORS DECORATORS CAULK ACRYLIC** 

Date: 03.05.2023 Ref: 0167.15.BB/DL

14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

# Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

United Kingdom - BE Page 11 / 12

Replaces: 26.02.2019

CONTRACTORS DECORATORS CAULK ACRYLIC

Ref: 0167.15.BB/DL Date: 03.05.2023

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H330 - Fatal if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Skin designation

**SVHC** Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT Very Persistent and very Bioaccumulative (vPvB) Chemicals vPvB

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

European Waste Catalogue **FWC** 

European Agreement concerning the International Carriage of Dangerous Goods by **ADR** 

Road

**IMDG** International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

### Key literature references and sources for data

No information available

Product Safety & Regulatory Affairs **Prepared By** 

**Revision date** 19-Nov-2021

Indication of changes

**Revision note** First time release.

No information available **Training Advice** 

**Further information** No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 12 / 12